



Midea Smart Home

Smart Life, Better Future



Midea Intelligent Lighting & Controls Technology Co., Ltd.



No.1 Industrial Estate, Guixi City, Jiangxi, China

www.mdlighting.com

mlc_int@midea.com

0086-18022060041

Midea Intelligent System

Intelligent System Core | Interactive Devices | Subsystems



Intelligent System Core



ZigBee Gateway



Interactive Devices

Central Smart Screen



4-inch Central Screen

Smart Switch Series



Wireless Switch



Touch Wall Switch



Smart Sensor Series



Motion Sensor



Temperature & Humidity Sensor



Wireless Door/Window Sensor

Subsystems

Smart Socket System



British Standard Socket



European Standard Socket

Smart Lighting System



Downlight



Spotlight



Light Strip



Grille Spotlight

Smart Window System



Curtain

CONTENTS



01

Intelligent System Core



ZigBee Gateway

P01-03

02

Interactive Devices

Central Smart Screen



4-inch Central Screen

P04-10

03

Interactive Devices

Smart Switch Series



Wireless Switch

P11-19



Touch Wall Switch

P20-30

04

Interactive Devices

Smart Sensor Series



Motion Sensor

P31-37



Temperature & Humidity Sensor

P38-46



Wireless Door/Window Sensor

P47-53

05

Subsystems

Smart Socket System



British Standard Socket



European Standard Socket

P54-59

06

Subsystems

Smart Lighting System



Downlight



Spotlight



Light Strip



Grille Spotlight

P60

07


Subsystems

Smart Window System



Curtain

P61



ZigBee Gateway

- Supports connection of up to **128 devices**
- **5V low-voltage** power supply
- The heart of **zigbee smart home**, making zigbee devices online.

Model: MGW-SU1



ZigBee Gateway


The highest stability

Since ZigBee can support both Star and Mesh networks, coupled with its encoding characteristics, its stability is the highest among three major application of Zigbee, BLE and WIFI.



Star network

Mesh network



Specifications

Model	MGW-SU1
Input	5V --- 1A
Wireless connections	Wi-Fi IEEE 802.11 b/g/h 2.4Ghz Zigbee 3.0
Working environment	-10°C~40°C
Material	PC V0
Weight	35g
Dimension	76x61x20mm

5 Interaction Pathways



4-inch Central Screen

Live Your Smart Life What It Should Be

Centrally control all your devices and scenes, integrate Zigbee gateway with home security, compatible with more brands, and with more practical functions such as power consumption statistics, thermostat, call intercom, etc.

Model: MSP-A040A-S1








All in One Panel

Unlimited number of control devices, supports control all Midea devices, from smart lights, smart cameras, security sensors to switches, etc., and will continue to support Midea new device in the future.



One-click to Enable Smart Scenes

Use with different smart devices, switch scenes at home with one click.



Not Only Smart Panel, But Zigbee Hub

Quickly add Zigbee devices on the screen in batches. Standard Zigbee 3.0 protocol makes the connection more stable and the coverage wider. Added sub-devices can be voice controlled by working with Alexa, Google Home, and more.



Enhanced Management and Control Permissions



Unlock Passcode

You can individually set passwords for different pages. Only with the correct password input can be used, preventing accidental activation of important features.



Guest Mode

After turning on the Guest Mode on the APP, the guest can only control the device on the screen, and cannot perform other settings. Don't worry about the settings being changed when you are away from home.


Accompany You in Daily Life



Alarm




Timer



Doorbell



Weather assistant



4-inch Central Screen

Model

MSP-A040A-S1

Screen size

3.95" (Capacitive touch panel)

Screen resolution

480 x 480

Touch control

Support multi-touch

Input

100-240V AC 50/60Hz

Wireless connections

IEEE 802.11 b/g/n 2.4GHz

Zigbee

Zigbee 3.0

Casing materials

PC V0 + CRS + Tempered glass panel

Max. power

5W MAX; 150mA

Dimension

86x86x39.5mm

Certification

CE/SRRC/RoHS

Wireless Switch

Simplify smart control of home with one button

Model: MSSK-S1



zigbee



Features




Customize Button Actions




One-tap Pairing



Ultra-low Energy



ZigBee Protocol



Smart Scene



Camera Feature

One Switch But Three Actions

Customize your smart home with various button actions to control more devices by single press, double press or long press.



Single press




Double press



Long press



Three Actions Control Three Devices Severally



Single press
Light ON



Double press
Fan OFF



Long press
Humidifier ON

*ZigBee Bridge is required.

Handy Button, Handy Control

Engineered to a small unit and you can take it to any corner of your home for easy control.

One Action Controls A Group of Devices



Single press
A group of lights ON

*ZigBee Bridge is required.





Control A Light at Two Locations

Support two-way control. Connect the button with Midea smart wall switches and you can turn off the light downstairs after going upstairs.



 Midea Lighting now

Wireless Switch
Current battery is low, please replace the battery in time



Wireless Switch

Model: MSSK-S1

Battery: 3V (CR2450)

Wireless protocol: ZigBee (IEEE 802.15.4)

Working environment: -10°C~40°C

Material: PC

Weight: 25g


Dimension: 43X43X16mm




Touch Wall Switch

Switch to a Colorful Life


Model: SUWZDK/SUSZDK





Full Touch Access for Easy On/Off

Compared to a regular touch switch, Smart Touch Wall Switch has a much larger touchable area, almost occupying the entire panel. Easy to turn on with a light press.



Regular touch switch

Limited touch area, difficult to press correctly.

Smart Touch Wall Switch

Larger touch area to press it easily.

Make the Wall "Shine"

Smart Touch Wall Switch has 8 different ambient light modes. You can take it as a night light to brighten the corridor, colorful light for atmosphere, or wall light to decorate your room.



Night Light



Party



Leisure



Color



Childhood



Wiper



Fairy



Starburst



Night Light



Party



Color

Multisensory Touch Feedback

Smart Touch Wall Switch integrates LED light, speaker and built-in motor. Pressing it can trigger the light transition, sound transition, and panel vibration at the same time, bringing a more futuristic trigger feedback.



Vision

Lighting Effects


The LED frame lights will activate light transition effects to dynamically show the channel states.



Hearing

Sound Effects

The speaker will emit trigger a sound effect to let you know your on/off action is complete.



Touching

Vibration Effects

The built-in motor will cause the touched area to vibrate, providing you a response like a physical button.



Multiple Gestures, Multiple Trigger Effects



Multi-finger touch

Turn the atmosphere lights on/off.

86 Type



▲ Cartoon Style



Star Style ▶

120 Type



▲ Cartoon Style
Mount Vertically

Star Style ▶
Mount Horizontally



Simplify Your Life with Automation

Timer and smart scene meet your automation needs. Set a timer to turn lights on automatically, or create smart scenes through the unique swipe operation and built-in sound effects.



Timer



Smart Scene

Swip ⇒ Vivid Mode

Click ⇒ Door Bell



For You & Your Family



For the Children

Smart Touch Wall Switch can replace the cartoon cover, with various lighting and sound effects, your children will like it.



For the Elderly


After enable the Smart Touch Wall Switch night light, the elderly can find the switch and see the aisle clearly in the dark to protect their safety at night.



For Your Home


Smart Touch Wall Switch has colorful LED lights and a touch area covering the entire panel, stylish and easy to operate, offering both functionality and aesthetic appeal.







86 Type for UK,etc

EU Type



120 Type for US,etc



Touch Wall Switch

Model

SUWZDK-1/SUWZDK-2/SUWZDK-3/SUWZDK-4

Input

1G: 100-240V ~ 50/60Hz Max 5A
 2G: 100-240V ~ 50/60Hz Max 10A
 3G: 100-240V ~ 50/60Hz Max 15A
 4G: 100-240V ~ 50/60Hz Max 16A

Output

1G: 100-240V ~ 50/60Hz Max 5A
 2G: 100-240V ~ 50/60Hz Max 5A/Gang 10A/Total
 3G: 100-240V ~ 50/60Hz Max 5A/Gang 15A/Total
 4G: 100-240V ~ 50/60Hz Max 4A/Gang 16A/Total

Wi-Fi

Connect with wireless network

Color

White

Casing materials

PC+CRS

Dimension

86x86x39mm



Model

SUSZDK-1/SUSZDK-2/SUSZDK-3/SUSZDK-4

Input

1G: 100-240V ~ 50/60Hz Max 5A
 2G: 100-240V ~ 50/60Hz Max 10A
 3G: 100-240V ~ 50/60Hz Max 15A
 4G: 100-240V ~ 50/60Hz Max 16A

Output

1G: 100-240V ~ 50/60Hz Max 5A
 2G: 100-240V ~ 50/60Hz Max 5A/Gang 10A/Total
 3G: 100-240V ~ 50/60Hz Max 5A/Gang 15A/Total
 4G: 100-240V ~ 50/60Hz Max 4A/Gang 16A/Total

Wi-Fi

Connect with wireless network

Color

White

Casing materials

PC+CRS

Dimension

120x74x39mm

Motion Sensor

Add a line of defense for your home


Model: MSSR-S1



zigbee




Features




Alert Notification




ZigBee Protocol




Ultra-low Energy



Camera Feature



Share Control



History Records Check

Smart Scene, Awakens Your Home

Want your light to turn on automatically when you go into the hallway?
Simply set a smart scene to activate your home in the action.




Motion Sensor

ZigBee Bridge


Wi-Fi Smart Switch

Light on




Any Motion, Even Visible

Link a camera to the motion sensor and place it almost anywhere home, then you can view what's going on in your home through the camera on the sensor page of APP.



Wider-angle & Long-distance Detection


Can provide detection distance of up to 6M and angle of up to 110° when the sensor works, ensuring the suspicious motion near your house is detected even earlier.



*The detection sensitivity may be affected by environment.

Low-battery Notification

You will get a notification of low-battery level when the battery life gets 10% remaining.



Motion Sensor

Model:	MSSR-S1
Battery:	3V (CR2450)
Wireless connections:	ZigBee (IEEE 802.15.4)
Working environment:	-10°C~40°C
Material:	PC
Weight	19g
Dimension:	35X39X28mm



Temperature & Humidity Sensor

Remotely monitor environment condition of your home.


Model: MSSH-S1



Features




Tem. & Hum. Monitoring



ZigBee Protocol



Ultra-low Energy



Device Sharing



Smart Scene



Camera Feature

Real-time Temperature & Humidity Feedback

Measure the temperature and humidity in real time, and sync data to your mobile phone in no time.



Improve the Comfort Level of Your Home

Wish your home always keeps a favourable temperature and humidity? Enable the smart scene to make the fan automatically turn on when the room temperature reaches 28°C and the humidifier automatically turns on when the room humidity is below 45%RH.



>28°C



Fan on



<45%RH



Humidifier on

Check Comfort Levels with Your Voice

Integrated with smart voice assistants like Alexa and Google Home, you can ask the sensor about the temperature and humidity.



"Hi Alexa, what's the temperature of my room?"



Install in No Time

Adopts 3M adhesives on the bottom of the sensor for flexible and fast installation on any surface of your home.




Low-battery Notification

You will get a notification of low-battery level when the battery life gets 10% remaining.



Share Once, Check Together

Simply share the sensor to your family and they can directly check this temperature and humidity on their mobile phones without pairing it.



Temperature & Humidity Sensor

Model: MSSH-S1

Battery: 3V (CR2450)

Wireless protocol: ZigBee (IEEE 802.15.4)

Working environment: -10°C~40°C

Material: PC

Weight: 15.5g



Dimension: 43x43x14mm



Wireless Door/Window Sensor

Push messages to you if door/window is opened or closed. Secure your home and enjoy a peace of mind.


Model: MSSM-S1



Features




Sync Status



ZigBee Protocol




Ultra-low Energy



Camera Feature




Share Control



History Records Check

Scene Linkage, Start Your Smarter Life

Have you ever thought to turn on/off devices through you action? Simply connect the sensor with your devices to turn them on/off when you open or close the door.



History Records Check

Want to check the past message notifications about your home? The sensor allows you to go back to the history records over past 3 months.

30 Days


- 🕒 12:18:47 Device trigger door sensor open
- 🕒 12:19:47 Device trigger door sensor closed
-

60 Days

- 🕒 20:18:50 Device trigger door sensor open
- 🕒 20:19:51 Device trigger door sensor closed
-



90 Days

- 🕒 15:18:47 Device trigger door sensor open
- 🕒 15:19:47 Device trigger door sensor closed
-



Low-battery Notification

You will get a notification of low-battery level when the battery life gets 10% remaining.



Intelligent Security, Simple Installation

Simply use our included 3M adhesives to get the sensor mounted in your ideal locations just in seconds.


Compact, Smart and Safe

Wireless Door/Window Sensor



Model	MSSM-S1
Battery	3V (CR2032)
Wireless connection	ZigBee (IEEE 802.15.4)
Working environment	-10°C~40°C
Material	PC
Weight	Magnet: 5.3g
	Sensor: 18g
Dimension	Magnet: 32X15.6X13mm
	Sensor: 47X27X13.5mm





Voice Control

Simple voice command to control the device

works with alexa

works with Hey Google

"Okay"

"Alexa, turn on the fan."

Fully Control at Anytime, Anywhere



Make it work as you expect

Set rapid egg cooker start to work at a certain time

Control it from anywhere

Turn off the Desk Lamp with App



Set timer to turn off

Turn off the phone charger after 1.5 hours



Be an Extender for Zigbee Network

Zigbee smart plug can act as an intermediate router, passing data on from other Zigbee devices



Just Plug in Make it Smart




Specifications

Model: SUZCB03



Φ58mm



39mm

Plug Standard
Type G

Max.load
3120W/13A

Input
100-240V
AC50/60Hz

Color
White

Wireless connection
Zigbee 3.0

Material
PC V0

Model: SUZCE03



56mm

50mm



64mm

Plug Standard
Type F

Max.load
3840W/16A

Input
100-240V
AC 50/60Hz

Color
White

Wireless connection
Zigbee 3.0

Material
PC V0

Smart Lighting System

Brightness and color temperature can be adjusted to create a rich home scene as you wish




Downlight



Spotlight



Light Strip



Grille Spotlight

Smart Window System

Integrating Safety and Convenience

Intelligent Opening and Closing Curtain Motors

Rated Voltage: AC100~240V

Rated power: 40W

Rated torque: 1.5Nm

Protection Grade: IP20

Running Speed: 12cm/s

